

15.20.04 Nutrient Management Certification and Licensing

Authority: Agriculture Article, §§8-801—8-806, Annotated Code of Maryland

.11 Record-Keeping and Reporting Requirements.

A. (text unchanged)

B. *Information Concerning the Phosphorus Management Tool.*

(1) *As provided in subsections (2) and (3) of this section, a license holder or a certified consultant who is not operating under a license shall file a report with the Department that includes information relating to nutrient management plans developed for operations which have soils with a phosphorus fertility index value of 150 or above.*

(2) *The report shall include information that the Department determines necessary to evaluate the implementation of the Phosphorus Management Tool, as provided in the Maryland Nutrient Management Manual, Section II-C2.*

(3) *The report shall be filed annually on a form developed by the Department not later than September 30th.*

(4) *The Department shall maintain the information provided in the report in a manner that protects the identity of the person for whom the plan was prepared and that person's personal information.*

C. *Information related to soil test phosphorus*

(1) *As provided in subsections (2) through (4) of this section, a license holder or a certified consultant who is not operating under a license shall file a report with the Department that includes field or management-unit information relating to phosphorus levels in the soil determined by a soil analysis conducted in accordance with COMAR 15.20.08.05D related to nutrient management plans developed in accordance with COMAR 15.20.07 and 15.20.08.*

(2) *The report shall include:*

(a) *Soil test phosphorus levels for each field or management unit in the nutrient management plan and expressed in terms of the Fertility Index Value;*

(b) *Acreage associated with a specific soil analysis and field or management unit;*

(c) *The county in which the field or management unit is located; and*

(d) *Other information that the Department considers necessary to evaluate soil phosphorus data.*

(3) *The report shall be filed on a form developed by the Department not later than September 30, 2015 and every sixth year thereafter.*

(4) *The report may not include any information identifying the person or specific operation about whom the report is prepared.*

D. *List of Reported Operations*

Concurrent with the report required under section C. of this regulation, a license holder or a certified consultant who is not operating under a license shall file a separate report with the Department that includes the names of the persons, farm names, as applicable, and addresses of those operations for which soil phosphorus data has been provided to the Department.

[B.] E. (text unchanged)

15.20.07 Agricultural Operation Nutrient Management Plan Requirements

Authority: Agriculture Article, §§8-801—8-806, Annotated Code of Maryland

.02 Incorporation by Reference.

The performance and technical standards provided in this subtitle are found in the Department of Agriculture's Maryland Nutrient Management Manual (November 1999), Supplement No. 1 (September 2000), Supplement No. 2 (November 2001), Supplement No. 3 (September 2004), Supplement No. 4 (November 2005), [and] Supplement No. 5 (November 2006), Supplement No. 6 (May 2009), [and] Supplement No. 7 (May 2012), and Supplement No. 8 (February 2015), which are incorporated by reference.

15.20.08 Content and Criteria for a Nutrient Management Plan Developed for an Agricultural Operation

Authority: Agriculture Article, §§8-801—8-806, Annotated Code of Maryland

.01 Scope.

A.—C. (text unchanged)

D. *This chapter also describes the transition from the Phosphorus Site Index to the Phosphorus Management Tool as a means to identify potential risk of phosphorus loss from farms. Like the Phosphorus Site Index, the Phosphorus Management Tool will be employed when a soil sample analysis shows a phosphorus fertility index value (“P FIV”) of 150 or greater. As shown in the chart in Regulation .10 of this chapter, the Phosphorus Management Tool will be phased-in over a 7-year period. Farms that have excess soil phosphorus will be placed in one of three tiers, as determined by the particular operation’s average phosphorus fertility index value. Farms with an average P FIV of 450 and greater will be the first operations required to begin implementing the Phosphorus Management Tool, but will be given a longer time-frame to fully implement it. Farms with an average P FIV, respectively, of (1) 150 and greater but less than 300, and (2) 300 and greater but less than 450) will be required to begin implementing the Phosphorus Management Tool later but will be given less time to complete this transition.*

.03 Definitions.

A. (text unchanged)

B. Terms Defined.

(1)—(3) (text unchanged)

(4) *“Average Soil Phosphorus Fertility Index Value” or “Average Soil P FIV” means a value:*

(a) Determined for an agricultural operation by averaging the P FIV of all fields or management units within the operation that have a P FIV greater than 150 (calculated by adding together the P FIV of each field or management unit within the operation that has a P FIV greater than 150 and dividing this sum by number of any such fields or management units); and

(b) Established not later than June 30, 2016, using soil tests not more than 3 years old.

[(4)] (5)—[(29)] (30) (text unchanged)

(31) *“Phosphorus Management Tool” means the new procedure developed by the University of Maryland, approved by the Department, and described in the Maryland Nutrient Management Manual, Section II-C, that:*

(a) Uses characteristics of soils, landforms, and management practices to identify potential risk of phosphorus losses from soils to waters; and

(b) Shall be phased-in between 2016 and 2022, ultimately replacing the Phosphorus Site Index.

[(30)] (32) *“Phosphorus [site index] Site Index” means the original procedure developed by the University of Maryland, approved by the Department, and described in the Maryland Nutrient Management Manual, Section II-C, that:*

(a)—(b) (text unchanged)

(33) *“Phosphorus Transition Management Phase I” means the first of two management phases that farms with a soil P FIV of 150 or greater shall employ when transitioning from use of the Phosphorus Site Index to the Phosphorus Management Tool as a means to determine the application of additional phosphorus that:*

(a) Consists of three risk categories determined by a calculation of the Phosphorus Management Tool; and

(b) Includes a schedule for implementation based on the average soil P FIV for the operation.

(34) *“Phosphorus Transition Management Phase II” means the second of two management phases that farms with a soil P FIV of 150 or greater shall employ when transitioning from the use of the Phosphorus Site Index to the Phosphorus Management Tool as a means to determine the application of additional phosphorus that:*

(a) Consists of three risk categories determined by a calculation of the Phosphorus Management Tool; and

(b) Includes a schedule for implementation based on the average soil P FIV for the operation.

[(31)] (35)—[(36)] (40) (text unchanged)

(41) *“Tier A operations” means those farms that have an average soil P FIV of 150 or greater but less than 300.*

(42) *“Tier B operations” means those farms that have an average soil P FIV of 300 or greater but less than 450.*

(43) *“Tier C operations” means those farms that have an average soil P FIV of 450 or greater.*

[(37)] (44)—[(39)] (46) (text unchanged)

.05 Nutrient Management—Required Plan Recommendations.

A.—D. (text unchanged)

E. Determination of Limiting Nutrient.

(1)—(2) (text unchanged)

(3) If the soil sample analysis results show a phosphorus fertility index value (FIV) of less than 150, nutrient recommendations may [use] *be based on* nitrogen plant needs as the limiting factor *in accordance with the recommendations described in the Maryland Nutrient Management Manual, Section I-B.*

(4) *Phosphorus Criteria for Tier A Operations.*

[(a) If the soil sample analysis results show a phosphorus fertility index value (FIV) of 150 or greater, a phosphorus site index or other phosphorus risk assessment method acceptable to the Department, as provided in the Maryland Nutrient Management Manual, Section II-B, shall be used to determine the potential risk of phosphorus loss due to site characteristics.

(b) If the risk for potential movement of phosphorus from the site is low according to the phosphorus site index, nutrient recommendations by the consultant or certified farm operator may use nitrogen plant needs as the limiting factor.

(c) If the risk for potential movement of phosphorus from the site is medium according to the phosphorus site index:

(i) Nutrient rates shall be based on nitrogen plant needs as the limiting factor no more than 1 out of every 3 years. Phosphorus rates the other 2 years shall be limited to the expected amount removed from the field by the crop or plant harvest, or the amount indicated by soil testing in accordance with the recommendations described in the Maryland Nutrient Management Manual, Section I-B, whichever is greater; or

(ii) Nutrient recommendations may use nitrogen plant needs as the limiting factor if BMPs are implemented by the operator and address site or management characteristics to reduce the risk of phosphorus loss to low.

(d) If the risk for potential movement of phosphorus from the site is high according to the phosphorus site index:

(i) Phosphorus rates shall be limited to the expected amount removed from the field by the crop or plant harvest, or the amount indicated by soil testing, in accordance with the recommendations described in the Maryland Nutrient Management Manual, Section I-B; or

(ii) If BMPs are implemented by the operator, and address site or management characteristics to reduce the risk of phosphorus loss to medium, nutrient rates may be based on nitrogen plant needs as the limiting factor not more than 1 out of every 3 years. Phosphorus rates the other 2 years shall be limited to the expected amount removed from the field by the crop or plant harvest, or the amount indicated by soil testing or in accordance with recommendations described in the Maryland Nutrient Management Manual, Section I-B, whichever is greater.

(e) If the risk for potential movement of phosphorus from the site is very high according to the phosphorus site index:

(i) No additional phosphorus may be applied; or

(ii) If BMPs are implemented by the operator, and address site or management characteristics to reduce the risk of phosphorus loss to high, recommended rates of application of phosphorus shall be limited to the expected amount removed from the field by the crop or plant harvest, or the amount indicated by soil testing in accordance with recommendations described in the Maryland Nutrient Management Manual, Section I-B.

(5) Before the deadlines set forth in COMAR 15.20.07.03 for the development of a phosphorus-based plan, a certified nutrient management consultant or certified farm operator may use:

(a) The requirements of §E(1)—(3) of this regulation as a planning tool to determine if future management changes are indicated by the P index, and if development of a phased-in approach to a phosphorus-based plan should be recommended; or

(b) §E(1)—(3) of this regulation as a guide to determine nutrient management recommendations.]

(a) *Except for nutrient management plans developed in accordance with paragraph (e) of this subsection, the certified consultant shall:*

(i) *Provide the operator information outlining the changes in the management of the operation that will be required when the Phosphorus Management Tool becomes effective;*

(ii) *Calculate the Average Soil Phosphorus Fertility Index Value for the operation; and*

(iii) *Report the Average Soil Phosphorus Fertility Index Value for the operation to the Department on a form provided by the Department no later than September 1, 2016.*

(b) *Nutrient management plans developed for implementation before July 1, 2019 shall:*

(i) *Be developed using both the Phosphorus Site Index and the Phosphorus Management Tool, as provided in the Maryland Nutrient Management Manual, Section II-C; and*

(ii) *Use the Phosphorus Site Index set forth in Regulation .06 of this chapter to determine phosphorus applications.*

(c) *Nutrient management plans developed for implementation between July 1, 2019 and June 30, 2020 shall use the Phosphorus Transition Management Phase 1 set forth in Regulation .07 of this chapter to determine phosphorus applications.*

(d) *Except as provided in subparagraphs (i) through (iii) of this paragraph, nutrient management plans developed for implementation between July 1, 2020 and June 30, 2021 shall use the Phosphorus Transition Management Phase 2 set forth in Regulation .08 of this chapter to determine phosphorus applications.*

(i) *Before July 1, 2020, the Department, in consultation with the Nutrient Management Advisory Committee, shall conduct an evaluation of the existing markets for animal manures, recent activity in the Manure Transport Program, the capacity of existing infrastructure for manure transportation, handling and land application, and the status and capacity of alternative uses to utilize animal manures.*

(ii) *If the results of the analysis described in subparagraph (i) of this paragraph indicate insufficient capacity to support the additional volume of animal manure expected to be created when operations are required to determine phosphorus applications under Transition Management Phase 2, Transition Management Phase I shall apply for one additional year during which time the Department shall re-evaluate the elements described in subparagraph (i) of this paragraph.*

(iii) *Advancing to Transition Management Phase 2 is contingent upon results of an evaluation indicating sufficient capacity to address the additional volume of animal manure expected to be created when operations are required to determine phosphorus applications under Transition Management Phase 2.*

(e) *Except as provided in subparagraphs (i) through (iii) of this paragraph, nutrient management plans developed for implementation after July 1, 2021 shall use the Phosphorus Management Tool set forth in Regulation .09 of this chapter to determine phosphorus applications.*

(i) Before July 1, 2021, the Department, in consultation with the Nutrient Management Advisory Committee, shall conduct an evaluation of the existing markets for animal manures, recent activity in the Manure Transport Program, the capacity of existing infrastructure for manure transportation, handling and land application, and the status and capacity of alternative uses to utilize animal manures.

(ii) If the results of the analysis described in subparagraph (i) of this paragraph indicate insufficient capacity to support the additional volume of animal manure expected to be created when operations are required to determine phosphorus applications under the Phosphorus Management Tool, Transition Management Phase 2 shall apply for one additional year during which time the Department shall re-evaluate the elements described in subparagraph (i) of this paragraph.

(iii) Advancing to the Phosphorus Management Tool is contingent upon results of the evaluation indicating sufficient capacity to address the additional volume of animal manure expected to be created when operations are required to determine phosphorus applications under the Phosphorus Management Tool.

(5) Phosphorus Criteria for Tier B Operations.

(a) Except for nutrient management plans developed in accordance with paragraph (e) of this subsection, the certified consultant shall:

(i) Provide the operator information outlining the changes in the management of the operation that shall be required when the Phosphorus Management Tool becomes effective;

(ii) Calculate the Average Soil Phosphorus Fertility Index Value for the operation; and

(iii) Report the Average Soil Phosphorus Fertility Index Value for the operation to the Department on a form provided by the Department not later than September 1, 2016.

(b) Nutrient management plans developed for implementation before July 1, 2018 shall:

(i) Be developed using both the Phosphorus Site Index and the Phosphorus Management Tool, as provided in the Maryland Nutrient Management Manual, Section II-C; and

(ii) Use the Phosphorus Site Index set forth in Regulation .06 of this chapter to determine phosphorus applications.

(c) Nutrient management plans developed for implementation between July 1, 2018 and June 30, 2019 shall use the Phosphorus Transition Management Phase 1 set forth in Regulation .07 of this chapter to determine phosphorus applications.

(d) Except as provided in subparagraphs (i) through (iii) of this paragraph, nutrient management plans developed for implementation between July 1, 2019 and June 30, 2021 shall use the Phosphorus Transition Management Phase 2 set forth in Regulation .08 of this chapter to determine phosphorus applications.

(i) Before July 1, 2019, the Department, in consultation with the Nutrient Management Advisory Committee, shall conduct an evaluation of the existing markets for animal manures, recent activity in the Manure Transport Program, the capacity of existing infrastructure for manure transportation, handling and land application, and the status and capacity of alternative uses to utilize animal manures.

(ii) If the results of the analysis described in subparagraph (i) of this paragraph indicate insufficient capacity to support the additional volume of animal manure expected to be created when operations are required to determine phosphorus applications under Transition Management Phase 2, Transition Management Phase I shall apply for one additional year during which time the Department shall re-evaluate the elements described in subparagraph (i) of this paragraph.

(iii) Advancing to Transition Management Phase 2 is contingent upon results of the evaluation indicating sufficient capacity to address the additional volume of animal manure expected to be created when operations are required to determine phosphorus applications under Transition Management Phase 2.

(e) Except as provided in subparagraphs (i) through (iii) of this paragraph and subparagraphs (i) through (iii) of paragraph (d) of this subsection, nutrient management plans developed for implementation after July 1, 2021 shall use the Phosphorus Management Tool set forth in Regulation .09 of this chapter to determine phosphorus applications.

(i) Before July 1, 2021, the Department, in consultation with the Nutrient Management Advisory Committee, shall conduct an evaluation of the existing markets for animal manures, recent activity in the Manure Transport Program, the capacity of existing infrastructure for manure transportation, handling and land application, and the status and capacity of alternative uses to utilize animal manures.

(ii) If the results of the analysis described in subparagraph (i) of this paragraph indicate insufficient capacity to support the additional volume of animal manure expected to be created when operations are required to determine phosphorus applications under the Phosphorus Management Tool, Transition Management Phase 2 shall apply for one additional year during which time the Department shall re-evaluate the elements described in subparagraph (i) of this paragraph.

(iii) Advancing to the Phosphorus Management Tool is contingent upon results of the evaluation indicating sufficient capacity to address the additional volume of animal manure expected to be created when operations are required to determine phosphorus applications under the Phosphorus Management Tool.

(6) Phosphorus Criteria for Tier C Operations.

(a) Except for nutrient management plans developed in accordance with paragraph (e) of this subsection, the certified consultant shall:

(i) Provide the operator information outlining the changes in the management of the operation that will be required when the Phosphorus Management Tool becomes effective;

(ii) Calculate the Average Soil Phosphorus Fertility Index Value for the operation; and

(iii) Report the Average Soil Phosphorus Fertility Index Value for the operation to the Department on a form provided by the Department not later than September 1, 2016.

(b) Nutrient management plans developed for implementation prior to July 1, 2017 shall:

(i) Be developed using both the Phosphorus Site Index and the Phosphorus Management Tool, as provided in the Maryland Nutrient Management Manual, Section II-C; and

(ii) Use the Phosphorus Site Index set forth in Regulation .06 of this chapter to determine phosphorus applications.

(c) Nutrient management plans developed for implementation between July 1, 2017 and June 30, 2019 shall use the Phosphorus Transition Management Phase 1 set forth in Regulation .07 of this chapter to determine phosphorus applications.

(d) Except as provided in subparagraphs (i) through (iii) of this paragraph, nutrient management plans developed for implementation between July 1, 2019 and June 30, 2021 shall use the Phosphorus Transition Management Phase 2 set forth in Regulation .08 of this chapter to determine phosphorus applications.

(i) Prior to July 1, 2019, the Department, in consultation with the Nutrient Management Advisory Committee, shall conduct an evaluation of the existing markets for animal manures, recent activity in the Manure Transport Program, the capacity of existing infrastructure for manure transportation, handling and land application, and the status and capacity of alternative uses to utilize animal manures.

(ii) If the results of the analysis described in subparagraph (i) of this paragraph indicate insufficient capacity to support the additional volume of animal manure expected to be created when operations are required to determine phosphorus applications under Transition Management Phase 2, Transition Management Phase I shall apply for one additional year during which time the Department shall re-evaluate the elements described in subparagraph (i) of this paragraph.

(iii) Advancing to Transition Management Phase 2 is contingent upon results of the evaluation indicating sufficient capacity to address the additional volume of animal manure expected to be created when operations are required to determine phosphorus applications under Transition Management Phase 2.

(e) Except as provided in subparagraphs (i) through (iii) of this paragraph and subparagraphs (i) through (iii) of paragraph (d) of this subsection, nutrient management plans developed for implementation after July 1, 2021 shall use the Phosphorus Management Tool set forth in Regulation .09 of this chapter to determine phosphorus applications.

(i) Before July 1, 2021, the Department, in consultation with the Nutrient Management Advisory Committee, shall conduct an evaluation of the existing markets for animal manures, recent activity in the Manure Transport Program, the capacity of existing infrastructure for manure transportation, handling and land application, and the status and capacity of alternative uses to utilize animal manures.

(ii) If the results of the analysis described in subparagraph (i) of this paragraph indicate insufficient capacity to support the additional volume of animal manure expected to be created when operations are required to determine phosphorus applications under the Phosphorus Management Tool, Transition Management Phase 2 shall apply for one additional year during which time the Department shall re-evaluate the elements described in subparagraph (i) of this paragraph.

(iii) Advancing to the Phosphorus Management Tool is contingent upon results of the evaluation indicating sufficient capacity to address the additional volume of animal

manure expected to be created when operations are required to determine phosphorus applications under the Phosphorus Management Tool.

F.—I. (text unchanged)

.06 Nutrient Management—Phosphorus Site Index.

A. Except as provided in section F of this regulation, if the soil sample analysis results show a phosphorus fertility index value of 150 or greater, the Phosphorus Site Index, as provided in the Maryland Nutrient Management Manual, Section II-C1, shall be used to determine the potential risk of phosphorus loss due to site characteristics.

B. *Low Risk of Potential Phosphorus Loss.* If the risk for potential loss of phosphorus from the site is low according to the Phosphorus Site Index, nutrient recommendations by the consultant or certified farm operator may use nitrogen plant needs as the limiting factor.

C. *Medium Risk of Potential Phosphorus Loss.*

(1) Except as provided in §C(2) of this regulation, if the risk for potential loss of phosphorus from the site is medium according to the Phosphorus Site Index, nutrient rates shall be based on nitrogen plant needs as the limiting factor not more than one out of every 3 years. Phosphorus rates for the other 2 years shall be limited to the expected amount removed from the field by the planned crop or plant rotation immediately following the phosphorus application, not to exceed two crops, or the amount indicated by soil testing, in accordance with the recommendations described in the Maryland Nutrient Management Manual, Section I-B, whichever is greater.

(2) Nutrient recommendations may use nitrogen plant needs as the limiting factor if BMPs are implemented by the operator before or during the application of additional phosphorus that address site or management characteristics which, according to the outcome of a recalculation using the Phosphorus Site Index, reduce the risk of phosphorus loss to low.

D. *High Risk of Potential Phosphorus Loss.*

(1) Except as provided in §D(2) of this regulation, if the risk for potential loss of phosphorus from the site is high according to the Phosphorus Site Index, phosphorus rates shall be limited to the expected amount removed from the field by the planned crop or plant rotation immediately following the phosphorus application, not to exceed two crops, or the amount indicated by soil testing, in accordance with the recommendations described in the Maryland Nutrient Management Manual, Section I-B, whichever is greater.

(2) If BMPs are implemented by the operator before or during the application of additional phosphorus that address site or management characteristics which, according to the outcome of a recalculation using the Phosphorus Site Index, reduce the risk of phosphorus loss to medium, nutrient rates may be based on nitrogen plant needs as the limiting factor not more than one out of every 3 years. Phosphorus rates for the other 2 years shall be limited to the expected amount removed from the field by the planned crop or plant rotation immediately following the phosphorus application, not to exceed two crops, or the amount indicated by soil testing, in accordance with recommendations described in the Maryland Nutrient Management Manual, Section I-B, whichever is greater.

E. *Very High Risk of Potential Phosphorus Loss.*

(1) Except as provided in §E(2) of this regulation, if the risk for potential loss of phosphorus from the site is very high according to the Phosphorus Site Index, no additional phosphorus may be applied.

(2) If BMPs are implemented by the operator before or during the application of additional phosphorus that address site or management characteristics which, according to the outcome of a recalculation using the Phosphorus Site Index, reduce the risk of phosphorus loss to high, recommended rates of application of phosphorus shall be limited to the expected amount removed from the field by the crop or plant harvest, or the amount indicated by soil testing, in accordance with recommendations described in the Maryland Nutrient Management Manual, Section I-B, whichever is greater.

(3) The operator shall consider the implementation of management practices and technologies that are effective in lowering the risk of phosphorus loss, based on research and demonstration of the University of Maryland, or other land grant university, or by the United States Department of Agriculture, Natural Resources Conservation Service, National Planning Procedures Handbook and practice standards adopted for Maryland.

F. If the soil sample analysis results indicate a phosphorus fertility index value of 500 or greater, no additional phosphorus may be applied.

.07 Nutrient Management—Phosphorus Transition Management Phase I.

A. Except as provided in section E of this regulation, if the soil sample analysis results show a phosphorus fertility index value of 150 or greater, the Phosphorus Management Tool, as provided in the Maryland Nutrient Management Manual, Section II-C2, shall be used to determine the potential risk of phosphorus loss due to site characteristics.

B. Low Risk of Potential Phosphorus Loss.

(1) If the risk for potential loss of phosphorus from the site is low according to the Phosphorus Management Tool, nutrient recommendations by the consultant or certified farm operator may use nitrogen plant needs as the limiting factor.

(2) Nutrient applications shall not exceed the amount of phosphorus removed by the planned crop over a 3-year period.

C. Medium Risk of Potential Phosphorus Loss.

(1) Except as provided in §C(2) of this regulation, if the risk for potential loss of phosphorus from the site is medium according to the Phosphorus Management Tool, total phosphorus applications related to crops anticipated to be planted in a 3-year period shall not exceed the amount of phosphorus removed by the planned crops over the 3-year period, or the amount indicated by soil testing, in accordance with the recommendations described in the Maryland Nutrient Management Manual, Section I-B , whichever is greater.

(2) If BMPs are implemented by the operator before or during the application of additional phosphorus that address site or management characteristics which, according to the outcome of a recalculation using the Phosphorus Management Tool, reduce the risk of phosphorus loss to low, nutrient rates may be established as provided by §B of this regulation.

D. High Risk of Potential Phosphorus Loss.

(1) Except as provided in §D(2) of this regulation, if the risk for potential loss of phosphorus from the site is high according to the Phosphorus Management Tool, phosphorus rates shall be limited to the expected amount removed from the field by the planned crop or plant rotation immediately following the phosphorus application, not to

exceed two crops, or the amount indicated by soil testing, in accordance with the recommendations described in the Maryland Nutrient Management Manual, Section I-B , whichever is greater.

(2) If BMPs are implemented by the operator before or during the application of additional phosphorus that address site or management characteristics which, according to the outcome of a recalculation using the Phosphorus Management Tool, reduce the risk of phosphorus loss to medium, nutrient rates may be established as provided by §C of this regulation.

(3) The operator shall consider the implementation of management practices and technologies that are effective in lowering the risk of phosphorus loss based on research and demonstration of the University of Maryland, or other land grant university, or by the United States Department of Agriculture, Natural Resources Conservation Service, National Planning Procedures Handbook and practice standards adopted for Maryland.

E. If the soil sample analysis results indicate a phosphorus fertility index value of 500 or greater, no additional phosphorus may be applied.

.08 Nutrient Management—Phosphorus Transition Management Phase II.

A. Except as provided in section E of this regulation, if the soil sample analysis results show a phosphorus fertility index value of 150 or greater, the Phosphorus Management Tool, as provided in the Maryland Nutrient Management Manual, Section II-C2, shall be used to determine the potential risk of phosphorus loss due to site characteristics.

B. Low Risk of Potential Phosphorus Loss. If the risk for potential loss of phosphorus from the site is low according to the Phosphorus Management Tool, total phosphorus applications related to crops anticipated to be planted in a 3-year period shall not exceed the amount of phosphorus removed by the planned crops over the 3-year period, or the amount indicated by soil testing, in accordance with the recommendations described in the Maryland Nutrient Management Manual, Section I-B , whichever is greater.

C. Medium Risk of Potential Phosphorus Loss.

(1) Except as provided in §C(2) of this regulation, if the risk for potential loss of phosphorus from the site is medium according to the Phosphorus Management Tool, total phosphorus applications related to crops anticipated to be planted in a 2-year period shall not exceed the amount of phosphorus removed by the planned crops over the 2-year period, or the amount indicated by soil testing, in accordance with the recommendations described in the Maryland Nutrient Management Manual, Section I-B , whichever is greater.

(2) If BMPs are implemented by the operator before or during the application of additional phosphorus that address site or management characteristics which, according to the outcome of a recalculation using the Phosphorus Management Tool, reduce the risk of phosphorus loss to low, nutrient rates may be established as provided by §B of this regulation.

D. High Risk of Potential Phosphorus Loss.

(1) Except as provided in §D(3) and (4) of this regulation, if the risk for potential loss of phosphorus from the site is high according to the Phosphorus Management Tool, phosphorus rates shall be limited to 50 percent of the expected amount removed from the field by the planned crop or plant rotation immediately following the phosphorus application, not to exceed two crops, or the amount indicated by soil testing, in

accordance with the recommendations described in the Maryland Nutrient Management Manual, Section I-B , whichever is greater.

(2) If limits of technology of available application equipment prevent application at 50 percent of the expected amount removed from the field by the crop or plant harvest immediately following the phosphorus application, phosphorus rates shall be limited to the expected amount removed from the field by the crop or plant harvest immediately following the phosphorus application, or the amount indicated by soil testing, in accordance with the recommendations described in the Maryland Nutrient Management Manual, Section I-B , whichever is greater.

(3) If BMPs are implemented by the operator before or during the application of additional phosphorus that address site or management characteristics which, according to the outcome of a recalculation using the Phosphorus Management Tool, reduce the risk of phosphorus loss to medium, nutrient rates may be established as provided by §C of this regulation.

(4) If the crop to be produced is certified as organic pursuant to the requirements of the federal Organic Foods Production Act, 7 U.S.C. §6501 et seq., including implementing federal regulations, as amended, recommended rates of application of phosphorus shall be limited to the expected amount removed from the field by the planned crop or plant rotation immediately following the phosphorus application, or the amount indicated by soil testing in accordance with recommendations described in the Maryland Nutrient Management Manual, Section I-B, whichever is greater.

(5) The operator shall consider the implementation of management practices and technologies that are effective in lowering the risk of phosphorus loss based on research and demonstration of the University of Maryland, or other land grant university, or by the United States Department of Agriculture, Natural Resources Conservation Service, National Planning Procedures Handbook and practice standards adopted for Maryland.

E. If the soil sample analysis results indicate a phosphorus fertility index value of 500 or greater, no additional phosphorus may be applied.

.09 Nutrient Management—Phosphorus Management Tool.

A. If the soil sample analysis results show a phosphorus fertility index value of 150 or greater, the Phosphorus Management Tool, as provided in the Maryland Nutrient Management Manual, Section II-C2, shall be used to determine the potential risk of phosphorus loss due to site characteristics.

B. Low Risk of Potential Phosphorus Loss. If the risk for potential loss of phosphorus from the site is low according to the Phosphorus Management Tool, total phosphorus applications related to crops anticipated to be planted in a 3-year period shall not exceed the amount of phosphorus removed by the planned crops over the 3-year period.

C. Medium Risk of Potential Phosphorus Loss.

(1) Except as provided in §C(2) of this regulation, if the risk for potential loss of phosphorus from the site is medium according to the Phosphorus Management Tool, phosphorus rates shall be limited to the expected amount removed from the field by the crop or plant rotation immediately following the phosphorus application, not to exceed two crops, or the amount indicated by soil testing, in accordance with the recommendations described in the Maryland Nutrient Management Manual, Section I-B , whichever is greater.

(2) If BMPs are implemented by the operator before or during the application of additional phosphorus that address site or management characteristics which, according to the outcome of a recalculation using the Phosphorus Management Tool, reduce the risk of phosphorus loss to low, nutrient rates may be established as provided by §B of this regulation.

D. High Risk of Potential Phosphorus Loss.

(1) Except as provided in §D(2)—(6) of this regulation, if the risk for potential loss of phosphorus from the site is high according to the Phosphorus Management Tool, no additional phosphorus may be applied.

(2) If BMPs are implemented by the operator before or during the application of additional phosphorus that address site or management characteristics which, according to the outcome of a recalculation using the Phosphorus Management Tool, reduce the risk of phosphorus loss to medium, nutrient rates may be established as provided by §C of this regulation.

(3) If the crop to be produced is certified as organic pursuant to the requirements of the federal Organic Foods Production Act, 7 U.S.C. § 6501 et seq., including implementing federal regulations, as amended, recommended rates of application of phosphorus shall be limited to the expected amount removed from the field by the planned crop or plant rotation immediately following the phosphorus application, not to exceed two crops, or the amount indicated by soil testing in accordance with recommendations described in the Maryland Nutrient Management Manual, Section I-B, whichever is greater.

(4) Except when subject to cold and wet growing conditions, crops determined to be deficient in phosphorus, as demonstrated by a representative tissue analysis by an accredited laboratory, may receive an application of phosphorus not to exceed 25 percent of the expected amount removed from the field by the crop or plant harvest immediately following the phosphorus application.

(5) Vegetable and tobacco crops with a recommended phosphorus application rate of 40 pounds or more at optimum or excessive fertility levels as provided in the Maryland Nutrient Management Manual, Section I-B, may receive a phosphorus application at planting not to exceed 25 percent of the expected amount removed from the field by the crop or plant harvest immediately following the phosphorus application.

(6) Agricultural operations implementing technologies to reduce the phosphorus content of animal manures by at least 75 percent shall limit phosphorus application rates to 50 percent of the expected amount removed from the field by the planned crop or plant rotation immediately following the phosphorus application, not to exceed two crops.

(7) The operator shall consider the implementation of management practices and technologies that are effective in lowering the risk of phosphorus loss based on research and demonstration of the University of Maryland, or other land grant university, or by the United States Department of Agriculture, Natural Resources Conservation Service, National Planning Procedures Handbook and practice standards adopted for Maryland.

.10 Summary Schedule — Transition from Phosphorus Site Index to Phosphorus Management Tool.

7 YEAR TRANSITION SCHEDULE
Crop Year (July 1, previous year—June 30)

	2016	2017	2018	2019	2020	2021	2022
<i>Average P FIV >450 (Tier C Operations)</i>	<i>PSI</i>	<i>PSI</i>	<i>TM1</i>	<i>TM1</i>	<i>TM2</i>	<i>TM2</i>	<i>PMT</i>
<i>Average P FIV 300-450 (Tier B Operations)</i>	<i>PSI</i>	<i>PSI</i>	<i>PSI</i>	<i>TM1</i>	<i>TM2</i>	<i>TM2</i>	<i>PMT</i>
<i>Average P FIV 150-299 (Tier A Operations)</i>	<i>PSI</i>	<i>PSI</i>	<i>PSI</i>	<i>PSI</i>	<i>TM1</i>	<i>TM2</i>	<i>PMT</i>
<i>PSI—Phosphorus Site Index</i>							
<i>TM1—Transition Management Phase 1</i>							
<i>TM2—Transition Management Phase 2</i>							
<i>PMT—Phosphorus Management Tool</i>							

.11 Nutrient Management for Container or Out-of-Ground Agricultural Production — Additional Required Plan Content.

A. A certified nutrient management consultant or certified farm operator shall prepare, and an operator of container or out-of-ground agricultural production shall conform to the requirements of §§B—H of this regulation, in addition to applicable requirements described in this chapter, when developing and implementing a nutrient management plan.

B. Plan Elements. A plan shall contain a summary of planned plant production applicable to the site, including:

(1) (a) Except as provided in paragraph (b) of this subsection, a listing of plants to be grown by name, species, and variety and cultivar or both.

(b) If more than 20 different kinds of plants are grown, general plant categories may be used, such as herbaceous, deciduous shrub, coniferous evergreen, broadleaf evergreen, or trees;

(2) The estimated greatest number of plants, units, or containers that will be in production at any one time during a calendar year and the month this will occur;

(3) The estimated percentages of plants, units, or containers in the following container size categories:

(a) Less than 1 gallon (less than 2,492 cubic centimeters container volume),

(b) From 1 to 3 gallons (2,492 to 12,164 cubic centimeters),

(c) Greater than 3 gallons and less than 15 gallons (more than 12,164, but less than 45,376 cubic centimeters), or

(d) 15 gallons or greater (45,376 cubic centimeters or more);

(4) An inventory, which may include projected changes during the life of the plan, taken by the operator for any purpose within 12 months of completion of the plan, which shall meet the requirements of §B(1), (2), and (3) of this regulation if the inventory is representative of planned production during the period covered by a nutrient management plan;

(5) Total growing area under the plan, which may include projected changes in growing area planned to take place during the life of the plan.

C. Summary of Nutrient Recommendations. A plan shall contain summary information on the total amount of primary nutrients recommended for each calendar year covered by the plan, including:

- (1) The estimated total amounts of nitrogen, phosphorus, and potash;*
- (2) A listing of all sources of nutrients;*
- (3) The estimated amounts of each source of nutrients to be applied for each quarter of the year; and*
- (4) A listing or description of the application method or methods for each nutrient.*

D. Assessment of Environmental Risk. A nutrient management plan shall contain an assessment of the risk of nutrient losses to surface water, using the Environmental Risk Assessment for out-of-ground production provided in the Maryland Nutrient Management Manual, Section II-D.

E. General Management Recommendations. A plan shall contain general recommendations to ensure efficient application of nutrients, including:

- (1) The calibration of equipment;*
- (2) The timing and application methods for water and nutrients;*
- (3) Management options to maximize the efficient use of water;*
- (4) Any operator management options to reduce nutrient losses; and*
- (5) Any other best management practices that may be applicable as provided in the Maryland Nutrient Management Manual, Section II-E.*

F. Specific Management Recommendations. A consultant or certified farm operator shall recommend growing area or section-specific management techniques to improve water use efficiency and minimize nutrient losses, including the following:

- (1) Grouping plants to improve water and nutrient usage;*
- (2) Monitoring water and nutrient needs of plants;*
- (3) Increasing the percentage of water and nutrients entering the plant root zone;*
- (4) Reducing the amount of leachate or runoff; and*
- (5) Reducing or containing the flow of water from growing areas.*

G. Program for Monitoring Runoff. A nutrient management plan shall include recommendations to monitor runoff, as required in Regulation .12C of this chapter, including recommendations on methods, frequency, and locations of monitoring.

H. Plan Maintenance. A plan shall contain information to maintain and update the plan. General comments about plan maintenance may be summarized, but shall include:

- (1) The length of time the plan is effective, which may not to exceed 3 years; and*
- (2) Identification of changes in the agricultural operation that would require the original plan to be modified or updated, including a:*
 - (a) Change in area managed of 20 percent or greater, or 5 acres, whichever is less, or*
 - (b) Substantial change in a production plan or method.*

.12 Nutrient Management—Required Plan Recommendations for Container or Out-of-Ground Production.

A. Nutrient Recommendations. A certified nutrient management consultant or certified farm operator shall evaluate production cycles and methods and make nutrient recommendations based on at least one of the following:

- (1) The label recommendations on fertilizer products for the plants being grown or similar plants;*

(2) *The recommendations of the University of Maryland Cooperative Extension for the specific plants being grown or for similar plants;*

(3) *The recommendation from other state universities for the specific plants being grown or for similar plants;*

(4) *The data from research done by accredited universities on the specific plants being grown or similar plants;*

(5) *The general nutrition guidelines for similar plants; or*

(6) *Any generally accepted growing practices for plants under comparable growing conditions.*

B. Management Recommendations.

(1) *A consultant or certified farm operator shall use the Environmental Risk Assessment for out-of-ground production, as provided in the Maryland Nutrient Management Manual, Section II-D, to identify the potential risk to the environment of nutrient movement from out-of-ground growing areas.*

(2) *For growing areas where there is zero or low risk of nutrient movement from the site, recommendations shall be made to maintain this zero or low level of risk.*

(3) *For growing areas where there is medium risk of nutrient movement:*

(a) *Management recommendations shall be made to minimize the risk of nutrients moving to, or reaching, surface waters; and*

(b) *The consultant or certified farm operator shall recommend that the operator or other person responsible for irrigation and nutrient management attend Department-approved training on best management practices for out-of-ground production to minimize nutrient losses.*

(4) *For growing areas where there is high risk of nutrient movement:*

(a) *Management recommendations shall be made for individual growing areas, as well as for the operation as a whole, to reduce the risk of nutrients moving to, or reaching, surface waters;*

(b) *The consultant or certified farm operator shall recommend that the operator or other person responsible for irrigation and nutrient management attend Department-approved training on best management practices for out-of-ground production that teaches how to minimize nutrient losses; and*

(c) *Only controlled release fertilizer shall be recommended for use until management changes reduce the risk of nutrient loss to medium.*

(5) *In recommending field or management unit practices to reduce or minimize nutrient losses, a consultant or certified farm operator shall consider the following:*

(a) *The appropriate nutrient application methods;*

(b) *Nutrient application timing; and*

(c) *Any plant nutrient needs.*

(6) *Timing of nutrient application shall be as close to plant nutrient uptake as possible, except in the case of controlled release fertilizer, which may be applied at any time.*

C. Recommendations for Monitoring Runoff. Unless an operation is assessed as zero risk for nutrient loss from the site, as provided in the Maryland Nutrient Management Manual, Section II-D, the nutrient management consultant shall recommend a monitoring program, including the following:

(1) The periods for monitoring when plant nutrients can reasonably be expected to be available;

(2) The locations immediately next to growing areas or areas where runoff or overflow from collection basins enters surface water, municipal stormwater, or drainage inlets; and

(3) The frequency of sampling for nutrients:

(a) Where the risk of nutrient movement from any growing area is low, monitoring shall include samples for testing a minimum of two different times during each growing season or cycle from each location; and

(b) Where the risk of impacting surface water is medium or high, monitoring recommendations shall be conducted monthly when nutrients are being applied.

D. Methods of Sampling and Testing. Samples may be analyzed by the operator or consultant on-site using calibrated electrical conductivity or nutrient meters. To evaluate the accuracy of on-site test results, at least two samples per year shall be split, with one part being sent to an independent laboratory for analysis.

JOSEPH BARTENFELDER
Secretary of Agriculture